Rhodora

JOURNAL OF THE
NEW ENGLAND BOTANICAL CLUB

ROLLA M. TRYON, Editor-in-Chief
RUSSELL R. WALTON, Managing Editor

Associate Editors

ALFRED LINN BOGLE
GERALD J. GASTONY
GARRETT E. CROW
NORTON G. MILLER
DONALD H. PFISTER
ROBERT T. WILCE

VOLUME 82

1980

The New England Botanical Club, Inc.
Botanical Museum, Oxford Street, Cambridge, Mass. 02138

639

INDEX TO VOLUME 82

New scientific names are printed in **bold face.**

Achillea millefolium in Oklahoma and adjacent states. Cytogeography of, 361–367

Adams, Ralph M. *see* Sauieda, Ruben P.

Aitken, Bruce G. Cheilanthes lanosa in Connecticut 637

Alkalinity and the distribution of Potamogeton in New England. Correlation of, 331–344

Almeda, Frank, Jr. Central American novelties in the genus Blakea (Melastomataceae) 609–615

Amelanchier I: a new look at the chromosome numbers of the Amelanchier species growing in the northeastern United States. Experimental taxonomy in the genus, 483–493

American Ginsengs. Studies of, 627–636

Anderson, Gregory J. The status of the very rare Prunus Gravesii Small 113–129

_____. Change in status for Prunus Gravesii 375–376

Arenaria (Caryophyllaceae) and related genera in North America, with 11 new combinations in Minuartia. The delimitation of, 495–502

Badré, Frédérick *see* Tryon, Alice F. et al.

Bahama Islands. The genus Habenaria Willd. (Orchidaceae) in the, 617–625

Ball, P. W. *see* Webber, J. M.

Blakea 609–615. **chlorantha,** sp. nov., 609, Fig. 611; **crassifolia,** sp. nov., 612, Fig. 613; **micrantha,** sp. nov., 614

Blakea (Melastomataceae). Central American novelties in the genus, 609–615

Botanical aspects of Maine's Critical Areas Program. The, 207–225

Bratton, Susan Power, & Peter S. White. Rare plant management—after preservation what? 49–75

Brazil. Chromosome numbers in Leguminosae from the state of São Paulo, 475–481

Bryophytes of the peat mat at Ponkapoag Pond, eastern Massachusetts, with taxonomic and ecological notes on Sphagnum 563–578. Bryophyte flora 568; variation in leaf & cell shapes: Sphagnum capillifolium 569, 571, S. flavicomans 573; zonation: diagrams 566, table 564

Buttrick, Steven C. *see* Fisher, Martha N.

Callithamnion cordatum Børgeson (Rhodophyta, Ceramiaceae). North Carolina Marine algae. VIII. The reproductive morphology of, 321–330

Canadian populations of Lycopus americanus Muhl. and L. europaeus L. Introgression in, 281–304

Carex saxilittoralis, sp. nov. 370, Figs 371, 372

Carex § Extensae. A new species of, 369–374

Casco Bay, Maine. Flora, vegetation, and phytogeographic relationships of Whaleboat Island, 441–459

Catling, P. M. *see* Sheviak, C. J.

Central American novelties in the genus Blakea (Melastomataceae) 609–615

Change in status for Prunus Gravesii 375–376

Cheilanthes lanosa in Connecticut 637

Chromosome numbers in Leguminosae from the State of São Paulo, Brazil 475–481

Chromosome numbers of the Amelanchier species growing in the northeastern United States. Experimental taxonomy in the genus Amelanchier I: a new look at the, 483–493

Church, George L. Plant conservation concerns in Rhode Island 145–149
Classification, spores, and nomenclature of the Marsh Fern 461–472
Coddington, Jonathan *see* Field, Katharine G.
Coleman, James R., & Eurides M. DeMenezes. Chromosome numbers in Leguminosae from the State of São Paulo, Brazil 475–481
Connecticut. A naturalized population of Rhamnus citrifolia in, 523–524
Connecticut's Endangered Species Program 141–144
Contributions to the vascular flora of boreal Saskatchewan, Canada 239–280
Correlation of alkalinity and the distribution of Potamogeton in New England 331–344
Countryman, William D. Vermont's endangered species and the threats to their survival 163–171
Crow, Garrett E., & Irene M. Storks. Rare and endangered plants of New Hampshire: a phytogeographic viewpoint 173–189
Crow, Garrett E. *see* McDonell, Mark J.
_____. *see* Philbrick, C. Thomas
Cytogeography of Achillea millefolium in Oklahoma and adjacent states 361–367

Dahlia (Asteraceae:Heliantheae-Coreopsidinae). New taxa in the genus, 353–360
Dahlia 353–360. subsection **Merkii,** subsect. nov., 357; **D. tubulata,** sp. nov., 353
Davis, Tilton, IV. The generic relationship of Saracha and Jaltomata (Solanaceae: Solaneae) 345–352
Del Tredici, Peter *see* Hu, Shiu Ying et al.
Delimitation of Arenaria (Caryophyllaceae) and related genera in North America, with 11 new combinations in Minuartia. The, 495–502
DeMenezes, Eurides M. *see* Coleman, James R.
Diatoms of Penikese Island, Massachusetts: 1923 and 1973. The freshwater and brackish-water, 305–319
Drury, William H. Rare species of plants 3–48

Eastman, Leslie M. The rare and endangered species in Maine (Abstract) 191–192
Ecology of Ruppia maritima L. in New Hampshire (U. S. A.) tidal marshes 403–439
Edgar, Robert K. The freshwater and brackish-water diatoms of Penikese Island, Massachusetts: 1923 and 1973. 305–319
Errata— Vol 82, No. 831. 638
Experimental taxonomy in the genus Amelanchier I: a new look at the chromosome numbers of the Amelanchier species growing in the northeastern United States 483–493

Fern allies, Ophioglossaceae, Hymenophyllaceae, and Marsileaceae. New England, 599–607
Field, Katharine G., & Jonathan Coddington. Rare plant species in Massachusetts 151–162
First report of Specularia biflora (R.&P.) Fisch. & Mev. in New York State 521–522
Fisher, Martha N., & Steven C. Buttrick. Massachusetts Natural Heritage Program 227–237
Flora of boreal Saskatchewan, Canada. Contributions to the vascular, 239–280
Flora, vegetation, and phytogeographic relationships of Whaleboat Island, Casco Bay, Maine 441–459
Foreword to the Symposium (Rare and Endangered Plant Species in New England) 1–2

Freshwater and brackish-water diatoms of Penikese Island, Massachusetts: 1923 and 1973. The, 305–319
Furbish Lousewort, Pedicularis furbishiae S. Wats. Population ecology of the, 105–111

Gawler, Susan C. *see* Tyler, Harry R., Jr.
Generic relationships of Saracha and Jaltomata (Solanaceae:Solaneae). The. 345–352
Genus Habenaria Willd. (Orchidaceae) in the Bahama Islands. The, 617–625.
Ginsengs. Studies of American, 627–636. chromosome numbers for Panax quinquefolius & P. trifolius 627, life cycles 630, synecology 628, vigor 632
Graber, Raymond E. The life history and ecology of Potentilla robbinsiana 131–140

Habenaria Willd. (Orchidaceae) in the Bahama Islands. The genus, 617–625
Habitat protection 201–206
Harms, Vernon L., John H. Hudson, & Judy Heilman-Ternier. Contributions to the vascular flora of boreal Saskatchewan, Canada 239–280
Heilman-Ternier, Judy *see* Harms, Vernon L. et al.
Hellquist, C. Barre, Correlation of alkalinity and the distribution of Potamogeton in New England 331–344
Henderson, James. *see* Rayner, Douglas A.
Hickey, R. James. New England fern allies, Ophioglossaceae, Hymenophyllaceae, and Marsileaceae 599–607
Hu, Shiu Ying, Lily Rüdenberg, & Peter Del Tredici. Studies of American Ginsengs 627–636
Hudson, John H. *see* Harms, Vernon L. et al.
Hydrocotyle umbellata in Nova Scotia 517–518
Hymenophyllaceae, and Marsileaceae. New England fern allies, Ophioglossaceae, 599–607

Identity and status of Spiranthes ochroleuca (Rydberg) Rydberg 525–562
Introgression in Canadian populations of Lycopus americanus Muhl. and L. europaeus L. 281–304

Jaltomata (Solanaceae:Solaneae). The generic relationship of Saracha and, 345–352
Judd, Walter S. Bryophytes of the peat mat at Ponkapoag Pond, eastern Massachusetts, with taxonomic and ecological notes on Sphagnum 563–578

Laws and information needs for listing plants 193–199
Lectotypification. On the process of, 509–511
Leguminosae from the State of São Paulo, Brazil. Chromosome numbers in, 475–481
Life history and ecology of Potentilla robbinsiana. The, 131–140
Lycopus americanus Muhl. and L. europaeus L. Introgression in Canadian populations of, 281–304

Macior, Lazarus Walter. Population ecology of the Furbish Lousewort, Pedicularis furbishiae S. Wats. 105–111
Maine. Flora, vegetation, and phytogeographic relationships of Whaleboat Island, Casco Bay, 441–459
Maine. The rare and endangered species in, (Abstract) 191–192
Maine's Critical Areas Program. The botanical aspects of, 207–225

Marine algae. VIII. The reproductive morphology of Callithamnion cordatum Børgeson (Rhodophyta, Ceramiaceae). North Carolina, 321–330
Marsh Fern. Classification, spores, and nomenclature of the, 461–474
Marsileaceae. New England fern allies, Ophioglossaceae, Hymenophyllaceae, and, 599–607
Massachusetts Natural Heritage Program 227–237
Massachusetts: 1923 and 1973. The freshwater and brackish-water diatoms of Penikese Island, 305–319
Massachusetts. Rare plant species in, 151–162
Massachusetts, with taxonomic and ecological notes on Sphagnum. Bryophytes of the peat mat at Ponkapoag Pond, eastern, 563–578
Massey, J. R., & Paul D. Whitson. Species biology, the key to plant preservation 97–103
McDonell, Mark J., & Garrett E. Crow. On the typification of Spartina caespitosa—a reply 513–516
McNeill, J. The delimitation of Arenaria (Caryophyllaceae) and related genera in North America, with 11 new combinations in Minuartia 495–502
Mehrhoff, Leslie J. Connecticut's Endangered Species Program 141–144
Mexican Sedum III. Sections Centripetalia, Fruticisedum, and other woody species. Chromosomes of, 377–402
Minuartia 495–502. **cumberlandensis** comb. nov., **douglasii** var. **emarginata** comb. nov., **filiorum** comb. nov., & **godfreyi** comb. nov. 498; **muriculata** comb. nov., **nuttalli** ssp. **fragilis** comb. nov., **nuttalli** ssp. **gregaria** comb. nov., **patula** var. **robusta** comb. nov., **pusilla** var. **diffusa** comb. nov., & **rosei** comb. nov. 499
Minuartia. The delimitation of Arenaria (Caryophyllaceae) and related genera in North America, with 11 new combinations in, 495–502
Mulligan, Adair D. Flora, vegetation, and phytogeographic relationships of Whaleboat Island, Casco Bay, Maine 441–459

New England. Correlation of alkalinity and the distribution of Potamogeton in, 331–344
New England fern allies, Ophioglossaceae, Hymenophyllaceae, and Marsileaceae 599–607
New England Notes:
A naturalized population of Rhamnus citrifolia in Connecticut 523–524
Cheilanthes lanosa in Connecticut 637
New Hampshire (U. S. A.) tidal marshes. Ecology of Ruppia maritima L. in, 403–439
New species of Carex § Extensae. A, 369–374
New taxa in the genus Dahlia (Asteraceae: Heliantheae-Coreopsidinae) 353–360
New York state. First report of Specularia biflora (R.&P.) Fisch. & Mev. in, 521–522
Nickerson, Norton H. Habitat protection 201–206
North America, with 11 new combinations in Minuartia. The delimitation of Arenaria (Caryophyllaceae) and related genera in, 495–502
North Carolina marine algae. VIII. The reproductive morphology of Callithamnion cordatum Børgeson (Rhodophyta, Ceramiaceae) 321–330
Nova Scotia. Hydrocotyle umbellata in, 517–518

Oklahoma and adjacent states. Cytogeography of Achillea millefolium in, 361–367
On the process of lectotypification 509–511
Ophioglossaceae, Hymenophyllaceae, and Marsileaceae. New England fern allies, 599–607

Partanen, Carl R. *see* Robinson, W. Ann
Pedicularis furbishiae S. Wats. Population ecology of the Furbish Lousewort, 105–111
Penikese Island, Massachusetts: 1923 and 1973. The freshwater and brackish-water diatoms of, 305–319
Phenotypic variation of rare and widespread species of Plantago 87–95
Philbrick, C. Thomas, & Garrett E. Crow. Type specimens of the Hodgdon Herbarium, University of New Hampshire 579–597
Pireh, Wilma, & Ronald J. Tyrl. Cytogeography of Achillea millefolium in Oklahoma and adjacent states 361–367
Plant conservation concerns in Rhode Island 145–149
Population ecology of the Furbish Lousewort, Pedicularis furbishiae S. Wats. 105–111
Potamogeton in New England. Correlation of alkalinity and the distribution of, 331–344
Potentilla robbinsiana. The life history and ecology of, 131–140
Pratt, Joe D. A naturalized population of Rhamnus citrifolia in Connecticut 523–524
Primack, Richard B. Phenotypic variation in rare and widespread species of Plantago 87–95
Proceedings of the symposium "Rare and Endangered Plant Species in New England" 1–237 (January issue, No. 829)
Prunus Gravesii Small. The status of the 375–376
Pruns Gravesii Small. The status of the very rare, 113–129
Prunus maritima var. **Gravesii,** stat. nov. 375

"Rare and Endangered Plant Species in New England". Proceedings of symposium, 1–237 (January issue, No. 829)
Rare and endangered plants of New Hampshire: a phytogeographic viewpoint 173–189
Rare and endangered species in Maine. The, (Abstract) 191–192
Rare plant management—after preservation what ? 49–75. ark philosophy 63, Great Smoky Mountains Nat'l. Park 49, man the greatest threat 51, why preservation 50
Rare species of plants 3–48. actions to be considered 30, char. for survival 21, genetic depletion 9, rarity 3, paradigms & politics 34, success 13
Rarity of plant species: a synthetic viewpoint 77–86. gene pool-niche interaction theory 82, genetical theories 78, historical theories 77
Rayner, Douglas A., & James Henderson. Vaccinium sempervirens (Ericaceae), a new species from Atlantic White-cedar bogs in the sandhills of South Carolina 503–507
Reproductive morphology of Callithamnion cordatum Børgeson (Rhodophyta, Ceramiaceae). North Carolina marine algae. VIII. The, 321–330
Rhamnus citrifolia in Connecticut. A naturalized population of, 523–524
Rhode Island. Plant conservation concerns in, 145–149
Richardson, Frank D. Ecology of Ruppia maritima L. in New Hampshire (U.S.A.) tidal marshes 403–439
Robertson, Alexander. A new species of Carex § Extensae 369–374
Robinson, W. Ann, & Carl R. Partanen. Experimental taxonomy in the genus Amelanchier I: a new look at the chromosome numbers of the Amelanchier species growing in the northeastern United States 483–493
Roland, A. E. Hydrocotyle umbellata in Nova Scotia 517–518
Rollins, Reed C. On the process of lectotypification 509–511
Rüdenberg, Lily *see* Hu, Shiu Ying et al.
Ruppia maritima L. 403–439. clinal

variation 421; phenology (illustr.) 431; seasonal studies 410; study areas 407–410; ten-day study 432; graphs: diurnal fluct. 433, precip. & tidal flooding 420, hourly fluct. 435, seasonal O_2 423, Seasonal H_2O temp. & salin. 413 & 415; Tables: dissolved O_2 416, phenological data 424–5 & 428–9, H_2O parameters 414

Ruppia maritima L. in New Hampshire (U. S. A.) tidal marshes. Ecology of, 403–439

Saskatchewan, Canada. Contributions to the vascular flora of boreal, 239–280

Saracha and Jaltomata (Solanaceae: Solaneae). The generic relationship of, 345–352

Sauleda, Ruben P., & Ralph M. Adams. The genus Habenaria in the Bahama Islands 617–625

Schneider, Craig W. North Carolina marine algae. VIII. The reproductive morphology of Callithamnion cordatum Borgeson (Rhodophyta, Ceramiaceae) 321–330

Sedum 377–402. palmeri group 393, section Centripetalia 379, sect. Fruticisedum 384, Table of chromosome numbers 387–391

Sedum III. Sections Centripetalia, Fruticisedum, and other woody species. Chromosomes of Mexican, 377–402

Settle, Wilbur J. First report of Specularia biflora (R.&P.) Fisch. & Mev. in New York state 521–522

Sheviak, C. J., & P. M. Catling. The identity and status of Spiranthes ochroleuca (Rydberg) Rydberg 525–562

Smith, E. La Verne. Laws and information needs for listing plants 193–199

Sørensen, Paul D. New taxa in the genus Dahlia (Asteraceae: Heliantheae-Coreopsidinae) 353–360

South Carolina. Vaccinium sempervirens (Ericaceae), a new species from Atlantic White-cedar bogs in the sandhills of, 503–507

Spartina caespitosa—a reply. On the typification of, 513–516

Species biology, the key to plant preservation 97–103

Specularia biflora (R.&.P.) Fisch. & Mev. in New York state. First report of, 521–522

Sphagnum. Bryophytes of the peat mat at Ponkapoag Pond, eastern Massachusetts, with taxonomic and ecological notes on, 563–578

Spiranthes ochroleuca 525–562. Camera lucida drawings 531, 540, 543, & 545; distribution 551; statistical analyses: PCA 552, 557, discrim. funct. 553, 559, & 560; Tables: chromosomes, 538, floral chars. 534, phenology 537; type drawings 527 & 529

Spores, and nomenclature of the Marsh Fern. Classification, 461–474

Status of the very rare Prunus Gravesii Small. The, 113–129

Stebbins, G. Ledyard. Rarity of plant species: a synthetic viewpoint 77–86

Storks, Irene M. *see* Crow, Garrett E.

Studies of American Ginsengs 627–636

Symposium "Rare and Endangered Plant Species in New England" 1–237

Thelypteris 461–474. confluens 462, nomenclature 467, palustris var. palustris 464, palustris var. pubescens 464

Tryon, Alice F. Foreword to the symposium "Rare and Endangered Plant Species in New England" 1–2

Tryon, Alice F., Rolla Tryon, & Frédérick Badré. Classification, spores, and nomenclature of the Marsh Fern 461–474

Tryon, Rolla *see* Tryon, Alice F. et al.

Tyler, Harry R., Jr., & Susan C. Gawler. The botanical aspects of Maine's Critical Areas Program 207–225

Type specimens of the Hodgdon Herbarium, University of New Hampshire 579–597
Typification of Spartina caespitosa—a reply. On the, 513–516
Tyrl, Ronald J. *see* Pireh, Wilma

Uhl, Charles H. Chromosomes of Mexican Sedum III. Sections Centripetalia, Fruticisedum, and other woody species 377–402
United States. Experimental taxonomy in the genus Amelanchier I: a new look at the chromosome numbers of the Amelanchier species growing in the northeastern, 483–493

Vaccinium sempervirens (Ericaceae), a new species from Atlantic White-cedar bogs in the sandhills of South Carolina 503–507
Vaccinium sempervirens 503–507. Description 504, figure 505.
Vermont's endangered plants and the threats to their survival 163–171

Webber, J. M., & P. W. Ball. Introgression in Canadian populations of Lycopus americanus Muhl. and L. europaeus L. 281–304
Whaleboat Island, Casco Bay, Maine. Flora, vegetation, and phytogeographic relationships of, 441–459
White, Peter S. *see* Bratton, Susan Power
Whitson, Paul D. *see* Massey, J. R.

Vol. 82, No. 831, including pages 377-524, was issued July 30, 1980